
borrowed earth




SPECIFICATION SHEET

INSTALLATION

IN THE BOX







2. Drain Kit **Mountain Plumbing Products** (MT740-2) 20 Hole brass lavatory grid Drain with 6" Tailpiece and

no overflow.



4. Washer and Fastener

3. Wall Mount Bracket

FLUTE

TOOLS REQUIRED





1. Level



2. Wrench




3. Pencil



4. Drilling Machine


INSTALLATION

DRAIN KIT




Step 1

- 1. Disassemble MT-740 into parts (A), (B), (C).
- 2. Insert grid drain (A) into washbasin drain opening.



Step 2

1. Secure grid drain (A) to the washbasin with locknut assembly (B)



Step 3

- 1. Insert tailpiece (C) into grid drain (A).
- 2. Place stone drain cover into drain cover surface.

+1 (310) 341-6931


+1 (323) 538-3630


www. BORROWEDEARTHCOLLABORATIVE.COM BORROWEDEARTHCOLLABORATIVE.COM INFO@

horrowed earth


INTEGRATED VANITY FLUTE


REMOVER STONE DRAIN COVER





INTEGRATED VANITY PLACEMENT





INSTALLATION



1. Drill the holes for the wall mount bracket




2. Screw the wall mount bracket on the walls using Wrench and fastener


+1 (310) 341-6931


+1 (323) 538-3630

WWW. BORROWEDEARTHCOLLABORATIVE.COM
INFO@ BORROWEDEARTHCOLLABORATIVE.COM


borrowed earth








4. The wall mount bracket should be in level.




5. Place the drain kit with cap and Gently place the vanity on top of the wall mount bracket above and secure Position with groove (A)




6. Place the top as shown above (B)

INTEGRATED VANITY FLUTE

OVERVIEW







Top View

O@ BORROWEDEARTHCOLLABORATIVE.COM

borrowed earth

Borrowed Earth celebrates our inviolable connection to nature and attempts to recreate the innate joy of cohabiting amist it.



+1 (310) 341-6931

+1 (323) 538-3630

WWW. BORROWEDEARTHCOLLABORATIVE.COM
INFO@ BORROWEDEARTHCOLLABORATIVE.COM